




**CORPELIMA**  
Importadores y Líderes en Soluciones Eléctricas

| REVISIONS |                                                                                                    |       |            |
|-----------|----------------------------------------------------------------------------------------------------|-------|------------|
| REV #     | DESCRIPTION                                                                                        | APPV. | REV DATE   |
| 1         | PRINTING DETAIL CHANGED & MARKING DETAIL REMOVED FROM TABLE                                        | NT    | 09/04/2011 |
| 2         | DIMENSIONS CHANGED                                                                                 | NT    | 30/05/2011 |
| 3         | ITEM CODE ADTL230012V1 & ADTL230012V2 REMOVED<br>ITEM CODE ADTL230012 DIM. (L, L1, ØW & S) REVISED | NT    | 21/03/2017 |
| 4         | ITEM CODE ADTL215014 AND ADTL21606 ADDED                                                           | NT    | 14/02/2022 |




**NOTE**

- 1) ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE SPECIFIED
- 2) MATERIAL : COPPER PALM :- EC GRADE FORGED COPPER (COPPER PURITY 99.9%) & BARREL :- AL - EC GRADE ALUMINIUM ROD AS PER IS 5082:98 GR. 19501
- 3) FINISH : NATURAL AND DEGREASED
- 4) WELDING PROCESS : HIGH SPEED FRICTION WELDING
- 5) ALUMINIUM BARREL FILLED WITH OXIDE INHABITING COMPOUND AND SEALED BY PLASTIC CAP
- 6) TOLERANCE :  $\pm 5\%$



AXIS ELECTRICAL COMPONENTS (I) P. LTD.  
MUMBAI - 400067, INDIA.  
TEL : 91-22-67756000  
e-mail : marketing@axis-india.com



MATERIAL :  
REF NOTE

DRAWN: SA  
CHECKED: AG  
APPROVED: KP  
ISSUE DT: 18/03/11  
SCALE: N.T.S.

DRG No: 2452-2011R4 C

TITLE :

**BIMETALLIC LUG  
( DTL SERIES )**



**CORPELIMA**  
Importadores y Líderes en Soluciones Eléctricas

| REVISIONS |                                                                                                    |       |            |
|-----------|----------------------------------------------------------------------------------------------------|-------|------------|
| REV #     | DESCRIPTION                                                                                        | APPV. | REV DATE   |
| 1         | PRINTING DETAIL CHANGED & MARKING DETAIL REMOVED FROM TABLE                                        | NT    | 09/04/2011 |
| 2         | DIMENSIONS CHANGED                                                                                 | NT    | 30/05/2011 |
| 3         | ITEM CODE ADTL230012V1 & ADTL230012V2 REMOVED<br>ITEM CODE ADTL230012 DIM. (L, L1, ØW & S) REVISED | NT    | 21/03/2017 |
| 4         | ITEM CODE ADTL215014 AND ADTL21606 ADDED                                                           | NT    | 14/02/2022 |


| CABLE SIZE<br>mm2 | ØE   | ØD | Ød   | L   | L1 | L2 | ØW | S   | ITEM CODE  |
|-------------------|------|----|------|-----|----|----|----|-----|------------|
| 16                | 6.5  | 16 | 5.5  | 90  | 47 | 55 | 24 | 4   | ADTL21606  |
| 16                | 8.5  | 16 | 5.5  | 90  | 47 | 55 | 24 | 4   | ADTL21608  |
| 16                | 10.5 | 16 | 5.5  | 90  | 47 | 55 | 24 | 4   | ADTL21610  |
| 16                | 13   | 16 | 5.5  | 90  | 47 | 55 | 24 | 4   | ADTL21612  |
| 25                | 8.5  | 16 | 6.5  | 90  | 47 | 55 | 24 | 4   | ADTL22508  |
| 25                | 10.5 | 16 | 6.5  | 90  | 47 | 55 | 24 | 4   | ADTL22510  |
| 25                | 13   | 16 | 6.5  | 90  | 47 | 55 | 24 | 4   | ADTL22512  |
| 35                | 8.5  | 16 | 8.5  | 90  | 47 | 55 | 24 | 4   | ADTL23508  |
| 35                | 10.5 | 16 | 8.5  | 90  | 47 | 55 | 24 | 4   | ADTL23510  |
| 35                | 13   | 16 | 8.5  | 90  | 47 | 55 | 24 | 4   | ADTL23512  |
| 50                | 10.5 | 20 | 9.5  | 98  | 50 | 57 | 24 | 5   | ADTL25010  |
| 50                | 13   | 20 | 9.5  | 98  | 50 | 57 | 24 | 5   | ADTL25012  |
| 70                | 8.5  | 20 | 11   | 98  | 50 | 57 | 24 | 5   | ADTL27008  |
| 70                | 10.5 | 20 | 11   | 98  | 50 | 57 | 24 | 5   | ADTL27010  |
| 70                | 13   | 20 | 11   | 98  | 50 | 57 | 24 | 5   | ADTL27012  |
| 95                | 8.5  | 20 | 12.5 | 98  | 50 | 57 | 24 | 5   | ADTL29508  |
| 95                | 10.5 | 20 | 12.5 | 98  | 50 | 57 | 24 | 5   | ADTL29510  |
| 95                | 13   | 20 | 12.5 | 98  | 50 | 57 | 24 | 5   | ADTL29512  |
| 95                | 14.5 | 20 | 12.5 | 98  | 50 | 57 | 24 | 5   | ADTL29514  |
| 120               | 10.5 | 25 | 15   | 117 | 60 | 70 | 30 | 6   | ADTL212010 |
| 120               | 13   | 25 | 15   | 117 | 60 | 70 | 30 | 6   | ADTL212012 |
| 120               | 17   | 25 | 15   | 124 | 60 | 70 | 35 | 6.5 | ADTL212016 |
| 150               | 10.5 | 25 | 16   | 117 | 60 | 70 | 30 | 6   | ADTL215010 |
| 150               | 13   | 25 | 16   | 117 | 60 | 70 | 30 | 6   | ADTL215012 |
| 150               | 14.5 | 25 | 16   | 117 | 60 | 70 | 30 | 6   | ADTL215014 |
| 150               | 17   | 25 | 16   | 124 | 60 | 70 | 35 | 6.5 | ADTL215016 |
| 150               | 21   | 25 | 16   | 124 | 60 | 70 | 35 | 6.5 | ADTL215020 |

#### NOTE

- 1) ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE SPECIFIED
- 2) MATERIAL : COPPER PALM :- EC GRADE FORGED COPPER (COPPER PURITY 99.9%) & BARREL :- AL - EC GRADE ALUMINIUM ROD AS PER IS 5082:98 GR. 19501
- 3) FINISH : NATURAL AND DEGREASED
- 4) WELDING PROCESS : HIGH SPEED FRICTION WELDING
- 5) ALUMINIUM BARREL FILLED WITH OXIDE INHABITING COMPOUND AND SEALED BY PLASTIC CAP
- 6) TOLERANCE : ± 5%



AXIS ELECTRICAL COMPONENTS (I) P. LTD.  
MUMBAI - 400067, INDIA.  
TEL : 91-22-67756000  
e-mail : marketing@axis-india.com



MATERIAL :  
REF NOTE

DRAWN: SA  
CHECKED: AG  
APPROVED: KP  
ISSUE DT: 18/03/11  
SCALE: N.T.S.

DRG No: 2452-2011R4 C

TITLE :

**BIMETALLIC LUG  
( DTL SERIES )**



**CORPELIMA**  
Importadores y Líderes en Soluciones Eléctricas

| REVISIONS |                                                                                                    |       |            |
|-----------|----------------------------------------------------------------------------------------------------|-------|------------|
| REV #     | DESCRIPTION                                                                                        | APPV. | REV DATE   |
| 1         | PRINTING DETAIL CHANGED & MARKING DETAIL REMOVED FROM TABLE                                        | NT    | 09/04/2011 |
| 2         | DIMENSIONS CHANGED                                                                                 | NT    | 30/05/2011 |
| 3         | ITEM CODE ADTL230012V1 & ADTL230012V2 REMOVED<br>ITEM CODE ADTL230012 DIM. (L, L1, ØW & S) REVISED | NT    | 21/03/2017 |
| 4         | ITEM CODE ADTL215014 AND ADTL21606 ADDED                                                           | NT    | 14/02/2022 |


| CABLE SIZE<br>mm <sup>2</sup> | ØE   | ØD | Ød   | L   | L1 | L2  | ØW | S   | ITEM CODE  |
|-------------------------------|------|----|------|-----|----|-----|----|-----|------------|
| 185                           | 10.5 | 32 | 17   | 117 | 60 | 70  | 30 | 6   | ADTL218510 |
| 185                           | 13   | 32 | 17   | 117 | 60 | 70  | 30 | 6   | ADTL218512 |
| 185                           | 17   | 32 | 17   | 124 | 60 | 70  | 35 | 6.5 | ADTL218516 |
| 240                           | 13   | 32 | 20   | 117 | 60 | 70  | 30 | 6   | ADTL224012 |
| 240                           | 14.5 | 32 | 20   | 124 | 60 | 70  | 35 | 6.5 | ADTL224014 |
| 240                           | 17   | 32 | 20   | 124 | 60 | 70  | 35 | 6.5 | ADTL224016 |
| 240                           | 21   | 32 | 20   | 124 | 60 | 70  | 35 | 6.5 | ADTL224020 |
| 240                           | BL   | 32 | 20   | 124 | 60 | 70  | 35 | 6.5 | ADTL2240BL |
| 300                           | 10.5 | 34 | 23.3 | 117 | 60 | 70  | 30 | 6   | ADTL230010 |
| 300                           | 13   | 34 | 23.3 | 117 | 60 | 70  | 30 | 6   | ADTL230012 |
| 300                           | 14.5 | 34 | 23.3 | 117 | 60 | 70  | 30 | 6   | ADTL230014 |
| 300                           | 17   | 34 | 23.3 | 130 | 62 | 70  | 36 | 7   | ADTL230016 |
| 300                           | BL   | 34 | 23.3 | 130 | 62 | 70  | 36 | 7   | ADTL2300BL |
| 300                           | 21   | 34 | 23.3 | 130 | 62 | 70  | 36 | 7   | ADTL230020 |
| 400                           | 13   | 40 | 26   | 160 | 90 | 100 | 36 | 8   | ADTL240012 |
| 400                           | 14.5 | 40 | 26   | 160 | 90 | 100 | 36 | 8   | ADTL240014 |
| 400                           | 17   | 40 | 26   | 160 | 90 | 100 | 36 | 8   | ADTL240016 |
| 400                           | 21   | 40 | 26   | 160 | 90 | 100 | 36 | 8   | ADTL240020 |
| 400                           | BL   | 40 | 26   | 160 | 90 | 100 | 36 | 8   | ADTL2400BL |
| 500                           | 13   | 47 | 29   | 160 | 90 | 100 | 36 | 8   | ADTL250012 |
| 500                           | 14.5 | 47 | 29   | 160 | 90 | 100 | 36 | 8   | ADTL250014 |
| 500                           | 17   | 47 | 29   | 160 | 90 | 100 | 36 | 8   | ADTL250016 |
| 500                           | 21   | 47 | 29   | 160 | 90 | 100 | 36 | 8   | ADTL250020 |
| 500                           | BL   | 47 | 29   | 160 | 90 | 100 | 36 | 8   | ADTL2500BL |
| 630                           | 13   | 47 | 32.5 | 160 | 90 | 100 | 50 | 8   | ADTL263012 |
| 630                           | 14.5 | 47 | 32.5 | 160 | 90 | 100 | 50 | 8   | ADTL263014 |
| 630                           | 17   | 47 | 32.5 | 160 | 90 | 100 | 50 | 8   | ADTL263016 |
| 630                           | 21   | 47 | 32.5 | 160 | 90 | 100 | 50 | 8   | ADTL263020 |
| 630                           | BL   | 47 | 32.5 | 160 | 90 | 100 | 50 | 8   | ADTL2630BL |

#### NOTE

- 1) ALL DIMENSIONS ARE IN mm UNLESS OTHERWISE SPECIFIED
- 2) MATERIAL : COPPER PALM :- EC GRADE FORGED COPPER (COPPER PURITY 99.9%) & BARREL :- AL - EC GRADE ALUMINIUM ROD AS PER IS 5082:98 GR. 19501
- 3) FINISH : NATURAL AND DEGREASED
- 4) WELDING PROCESS : HIGH SPEED FRICTION WELDING
- 5) ALUMINIUM BARREL FILLED WITH OXIDE INHABITING COMPOUND AND SEALED BY PLASTIC CAP
- 6) TOLERANCE : ± 5%



AXIS ELECTRICAL COMPONENTS (I) P. LTD.  
MUMBAI - 400067, INDIA.  
TEL : 91-22-67756000  
e-mail : marketing@axis-india.com



MATERIAL :  
REF NOTE

DRAWN: SA  
CHECKED: AG  
APPROVED: KP  
ISSUE DT: 18/03/11  
SCALE: N.T.S.

DRG No: 2452-2011R4 C

TITLE :

**BIMETALLIC LUG  
( DTL SERIES )**